



EBETAM^{RE}

(MIRTEC)



ΕΤΑΙΡΕΙΑ ΒΙΟΜΗΧΑΝΙΚΗΣ ΕΡΕΥΝΑΣ & ΤΕΧΝΟΛΟΓΙΚΗΣ ΑΝΑΠΤΥΞΗΣ ΜΕΤΑΛΛΩΝ Α.Ε. / METALLURGICAL INDUSTRIAL RESEARCH & TECHNOLOGICAL DEVELOPMENT CENTRE S.A.

CONFORMITY TO TYPE CERTIFICATE

Project Cod. No: **36973** Certificate No: **6045-C-10**

Date: **22-03-2010**

Name and Address of the manufacturing plant: **S. KALIMNOS S.A.
6th km Thessalonica - Katerini Rd
57009 Kalochori Greece**

Product Type: **SK3400C
Manhole Cover Assembly**

Content: **Class 3
UN 1202, 1203, 1223**

Test Report No: **6045-R10**

Drawing Nr: **SK3400C / Rev.3**

Type Examination Certificate No.: **3843-C-06
EXT.01**


Requirements: **ADR / DOT 49CFR
§178.345-5
§178.345-10
§178.346-3**

Validity of the certificate: **March 2011**

DECLARATION


We here with certify that the above mentioned components were spot checked and found to be in conformity with approval type. Only the materials detailed in this report have been subjected to tests. The manufacturer is obliged to assign to the inspector the spot check of the components during their manufacturing (sampling) once a year.

For Evaluation Dep.


A. Stamou

For MIRTEC S.A.


A. Kourtesis



Γραφείο Αθηνών : Μ. Μερκούρη 76, Αγ. Δημήτριος, 173 42 Αθήνα
Athens office : 76, M. Merkouri, Ag. Dimitrios, GR - 173 42 Athens
Tel : +30 210 9961408, Fax: +30 210 9969850
E-mail : athens.office@ebetam.gr

Κεντρικά: Α' Βιομηχανική Περιοχή, 385 00 Βόλος
Head office: A' Industrial Area, GR - 385 00 Volos
Tel.: +302421095340/1/2, Fax: +302421095364
E-mail: volos.office@ebetam.gr
web site: <http://www.ebetam.gr>

Γραφείο Θεσσαλονίκης : Βιομηχανική Περιοχή, 570 22 Σίνδος
Thessaloniki office : Industrial Area, GR - 570 22 Sindos
Tel : +30 2310797 887, Fax: +30 2310 723117
E-mail : thess.office@ebetam.gr



EBETAM

(MIRTEC)



ΕΤΑΙΡΕΙΑ ΒΙΟΜΗΧΑΝΙΚΗΣ ΕΡΕΥΝΑΣ & ΤΕΧΝΟΛΟΓΙΚΗΣ ΑΝΑΠΤΥΞΗΣ ΜΕΤΑΛΛΩΝ Α.Ε. / METALLURGICAL INDUSTRIAL RESEARCH & TECHNOLOGICAL DEVELOPMENT CENTRE S.A.

CONFORMITY TO TYPE CERTIFICATE

Project Cod. No: **36973** Certificate No : **6046-C-10**

Date : **22-03-2010**

Name and Address of the manufacturing plant : **S. KALIMNOS S.A.
6th km Thessalonica - Katerini Rd
57009 Kalochori Greece**

Product Type : **SK3500C
Manhole Cover Assembly**

Content : **Class 3
UN 1202, 1203, 1223**

Test Report No : **6046-R-10**

Drawing Nr : **SK3500C / Rev.3**

Type Examination Certificate No.: **4906-C-08**


Requirements : **ADR / DOT 49CFR
§178.345-5
§178.345-10
§178.346-3**


Validity of the certificate : **March 2011**

DECLARATION


We here with certify that the above mentioned components were spot checked and found to be in conformity with approval type. Only the materials detailed in this report have been subjected to tests. The manufacturer is obliged to assign to the inspector the spot check of the components during their manufacturing (sampling) once a year.

For Evaluation Dep.


A. Stamou



For MIRTEC S.A.


A. Kourtesis

Γραφείο Αθηνών : Μ. Μερκούρη 76, Αγ. Δημήτριος, 173 42 Αθήνα
Athens office : 76, M. Merkouri, Ag. Dimitrios, GR - 173 42 Athens
Tel : +30 210 9961408, Fax: +30 210 9969850
E-mail : athens.office@ebetam.gr

Κεντρικά: Α' Βιομηχανική Περιοχή, 385 00 Βόλος
Head office: A' Industrial Area, GR - 385 00 Volos
Tel.: +302421095340/1/2, Fax: +302421095364
E-mail: volos.office@ebetam.gr
web site: <http://www.ebetam.gr>

Γραφείο Θεσσαλονίκης : Βιομηχανική Περιοχή, 570 22 Σίνδος
Thessaloniki office : Industrial Area, GR - 570 22 Sindos
Tel : +30 2310797 887, Fax: +30 2310 723117
E-mail : thess.office@ebetam.gr



EBETAM (MIRTEC)



ΕΤΑΙΡΕΙΑ ΒΙΟΜΗΧΑΝΙΚΗΣ ΕΡΕΥΝΑΣ & ΤΕΧΝΟΛΟΓΙΚΗΣ ΑΝΑΠΤΥΞΗΣ ΜΕΤΑΛΛΩΝ Α.Ε. / METALLURGICAL INDUSTRIAL RESEARCH & TECHNOLOGICAL DEVELOPMENT CENTRE S.A.

CONFORMITY TO TYPE CERTIFICATE

Project Cod. No: **36973** Certificate No : **6047-C-10**

Date : **22-03-2010**

Name and Address of the manufacturing plant : **S. KALIMNOS S.A.
6th km Thessalonica - Katerini Rd
57009 Kalochori Greece**

Product Type : **SK4500AI
Manhole Cover Assembly**

Content : **Class 3
UN 1202, 1203, 1223
UN 1268, 1863
(vapour pressure at 50⁰C not more than 110 kPa)**

Test Report No : **6047-R-10**

Drawing Nr : **SK4500AI / Rev.1**

Type Examination Certificate No.: **4602-C-07
EXT.02**

Requirements : **ADR 2009
EN13317:2002
EN13314:2002
EN13596:2005**

Validity of the certificate : **March 2011**

DECLARATION

We here with certify that the above mentioned components were spot checked and found to be in conformity with approval type. Only the materials detailed in this report have been subjected to tests. The manufacturer is obliged to assign to the inspector the spot check of the components during their manufacturing (sampling) once a year.

For Evaluation Dep.


A. Stamou



For MIRTEC S.A.


A. Kourtesis

Γραφείο Αθηνών : Μ. Μερκούρη 76, Αγ. Δημήτριος, 173 42 Αθήνα
Athens office : 76, M. Merkouri, Ag. Dimitrios, GR - 173 42 Athens
Tel : +30 210 9961408, Fax: +30 210 9969850
E-mail : athens.office@ebetam.gr

Κεντρικά: Α' Βιομηχανική Περιοχή, 385 00 Βόλος
Head office: A' Industrial Area, GR - 385 00 Volos
Tel.: +302421095340/1/2, Fax: +302421095364
E-mail: volos.office@ebetam.gr
web site: <http://www.ebetam.gr>

Γραφείο Θεσσαλονίκης : Βιομηχανική Περιοχή, 570 22 Σίνδος
Thessaloniki office : Industrial Area, GR - 570 22 Sindos
Tel : +30 2310797 887, Fax: +30 2310 723117
E-mail : thess.office@ebetam.gr



EBETAM

(MIRTEC)



ΕΤΑΙΡΕΙΑ ΒΙΟΜΗΧΑΝΙΚΗΣ ΕΡΕΥΝΑΣ & ΤΕΧΝΟΛΟΓΙΚΗΣ ΑΝΑΠΤΥΞΗΣ ΜΕΤΑΛΛΩΝ Α.Ε. / METALLURGICAL INDUSTRIAL RESEARCH & TECHNOLOGICAL DEVELOPMENT CENTRE S.A.

CONFORMITY TO TYPE CERTIFICATE

Project Cod. No: **36973** Certificate No: **6048-C-10**

Date: **22-03-2010**

Name and Address of the manufacturing plant: **S. KALIMNOS S.A.
6th km Thessalonica - Katerini Rd
57009 Kalochori Greece**

Product Type: **SK4500St
Manhole Cover Assembly**

Content: **Class 3
UN 1202, 1203, 1223
UN 1268, 1863
(vapour pressure at 50⁰C not more than 110 kPa)**

Test Report No: **6048-R-10**

Drawing Nr: **SK4500St / Rev.0**

Type Examination Certificate No.: **010-C-09**

Requirements: **ADR 2009
EN13317:2002
EN13314:2002
EN13596:2005**


Validity of the certificate: **March 2011**

DECLARATION

We here with certify that the above mentioned components were spot checked and found to be in conformity with approval type. Only the materials detailed in this report have been subjected to tests. The manufacturer is obliged to assign to the inspector the spot check of the components during their manufacturing (sampling) once a year.

For Evaluation Dep.


A. Stamou



For MIRTEC S.A.


A. Kourtesis

Γραφείο Αθηνών : Μ. Μερκούρη 76, Αγ. Δημήτριος, 173 42 Αθήνα
Athens office : 76, M. Merkouri, Ag. Dimitrios, GR - 173 42 Athens
Tel : +30 210 9961408, Fax: +30 210 9969850
E-mail : athens.office@ebetam.gr

Κεντρικά: Α' Βιομηχανική Περιοχή, 385 00 Βόλος
Head office: A' Industrial Area, GR - 385 00 Volos
Tel.: +302421095340/1/2, Fax: +302421095364
E-mail: volos.office@ebetam.gr
web site: <http://www.ebetam.gr>

Γραφείο Θεσσαλονίκης : Βιομηχανική Περιοχή, 570 22 Σίνδος
Thessaloniki office : Industrial Area, GR - 570 22 Sindos
Tel : +30 2310797 887, Fax: +30 2310 723117
E-mail : thess.office@ebetam.gr



EBETAM (MIRTEC)



ΕΤΑΙΡΕΙΑ ΒΙΟΜΗΧΑΝΙΚΗΣ ΕΡΕΥΝΑΣ & ΤΕΧΝΟΛΟΓΙΚΗΣ ΑΝΑΠΤΥΞΗΣ ΜΕΤΑΛΛΩΝ Α.Ε. / METALLURGICAL INDUSTRIAL RESEARCH & TECHNOLOGICAL DEVELOPMENT CENTRE S.A.

CONFORMITY TO TYPE CERTIFICATE

Project Cod. No: **36973** Certificate No : **6049-C-10**

Date : **22-03-2010**

Name and Address of the manufacturing plant : **S. KALIMNOS S.A.
6th km Thessalonica - Katerini Rd
57009 Kalochori Greece**

Product Type : **SK10600
Bottom Loading & Unloading Adaptor**

Content : **Class 3
UN 1202, 1203, 1223
UN 1268, 1863
(vapour pressure at 50⁰C not more than 110 kPa)**

Test Report No : **6049-R-10**

Drawing Nr : **SK10600 / Rev.1**

Type Examination Certificate No.: **3331-C-06
EXT.02**


Requirements : **ADR2009
EN 13083:2001**

Validity of the certificate : **March 2011**

DECLARATION

We here with certify that the above mentioned components were spot checked and found to be in conformity with approval type. Only the materials detailed in this report have been subjected to tests. The manufacturer is obliged to assign to the inspector the spot check of the components during their manufacturing (sampling) once a year.

For Evaluation Dep.



A. Stamou

For MIRTEC S.A.



A. Kourtesis

Γραφείο Αθηνών : Μ. Μερκούρη 76, Αγ. Δημήτριος, 173 42 Αθήνα
Athens office : 76, M. Merkouri, Ag. Dimitrios, GR - 173 42 Athens
Tel : +30 210 9961408, Fax: +30 210 9969850
E-mail : athens.office@ebetam.gr

Κεντρικό: Α' Βιομηχανική Περιοχή, 385 00 Βόλος
Head office: A' Industrial Area, GR - 385 00 Volos
Tel.: +302421095340/1/2, Fax: +302421095364
E-mail: volos.office@ebetam.gr
web site: <http://www.ebetam.gr>

Γραφείο Θεσσαλονίκης : Βιομηχανική Περιοχή, 570 22 Σίνδος
Thessaloniki office : Industrial Area, GR - 570 22 Sindos
Tel : +30 2310797 887, Fax: +30 2310 723117
E-mail : thess.office@ebetam.gr



EBETAM (MIRTEC)



ΕΤΑΙΡΕΙΑ ΒΙΟΜΗΧΑΝΙΚΗΣ ΕΡΕΥΝΑΣ & ΤΕΧΝΟΛΟΓΙΚΗΣ ΑΝΑΠΤΥΞΗΣ ΜΕΤΑΛΛΩΝ Α.Ε. / METALLURGICAL INDUSTRIAL RESEARCH & TECHNOLOGICAL DEVELOPMENT CENTRE S.A.

CONFORMITY TO TYPE CERTIFICATE

Project Cod. No: **36973** Certificate No : **6050-C-10**

Date : **22-03-2010**

Name and Address of the manufacturing plant : **S. KALIMNOS S.A.
6th km Thessalonica - Katerini Rd
57009 Kalochori Greece**

Product Type : **SK1976
Vapour Recovery Adaptor**

Content : **Class 3
UN 1202, 1203, 1223
UN 1268, 1863
(vapour pressure at 50⁰C not more than 110 kPa)**

Test Report No : **6050-R-10**

Drawing Nr : **SK1976 / Rev.0**

Type Examination Certificate No.: **3332-C-06
EXT.02**

Requirements : **ADR2009
EN 13081:2001**

Validity of the certificate : **March 2011**

DECLARATION

We here with certify that the above mentioned components were spot checked and found to be in conformity with approval type. Only the materials detailed in this report have been subjected to tests. The manufacturer is obliged to assign to the inspector the spot check of the components during their manufacturing (sampling) once a year.

For Evaluation Dep.   For MIRTEC S.A. 

A. Stamou A. Kourtesis

Γραφείο Αθηνών : Μ. Μερκούρη 76, Αγ. Δημήτριος, 173 42 Αθήνα
Athens office : 76, M. Merkouri, Ag. Dimitrios, GR - 173 42 Athens
Tel : +30 210 9961408, Fax: +30 210 9969850
E-mail : athens.office@ebetam.gr

Κεντρικό: Α' Βιομηχανική Περιοχή, 385 00 Βόλος
Head office: A' Industrial Area, GR - 385 00 Volos
Tel.: +302421095340/1/2, Fax: +302421095364
E-mail: volos.office@ebetam.gr
web site: <http://www.ebetam.gr>

Γραφείο Θεσσαλονίκης : Βιομηχανική Περιοχή, 570 22 Σίνδος
Thessaloniki office : Industrial Area, GR - 570 22 Sindos
Tel : +30 2310797 887, Fax: +30 2310 723117
E-mail : thess.office@ebetam.gr



EBETAM (MIRTEC)



ΕΤΑΙΡΕΙΑ ΒΙΟΜΗΧΑΝΙΚΗΣ ΕΡΕΥΝΑΣ & ΤΕΧΝΟΛΟΓΙΚΗΣ ΑΝΑΠΤΥΞΗΣ ΜΕΤΑΛΛΩΝ Α.Ε. / METALLURGICAL INDUSTRIAL RESEARCH & TECHNOLOGICAL DEVELOPMENT CENTRE S.A.

ΠΙΣΤΟΠΟΙΗΤΙΚΟ ΔΟΚΙΜΩΝ ΠΑΡΑΓΩΓΗΣ Production Test Certificate

Κωδικός Έργου: <i>Project Cod. No:</i>	36973	Αρ. Πιστοποιητικού: <i>Certificate No :</i>	6051-C-10
Ημερομηνία : <i>Date :</i>		22-03-2010	
Όνομα και Διεύθυνση Κατασκευαστή : <i>Name and Address of the manufacturing plant :</i>		S. KALIMNOS S.A. 6th km Thessalonica - Katerini Rd 57009 Kalochori Greece	
Τύπος Προϊόντος : <i>Product Type :</i>		Non Pressure Balanced Foot valves SK3''M - SK3''P	
Προβλεπόμενο Περιεχόμενο: <i>Content:</i>		Class 3 UN 1202, UN 1203, UN 1223 UN 1268,1863 (vapour pressure at 50^oC not more than 110 kPa)	
Αριθμός Έκθεσης: <i>Test Report No :</i>		6051-R-10	
Αριθμός Σχεδίου : <i>Drawing Nr :</i>		SK3''M rev.1 09/01/2009, SK3''P rev.1 09/01/2009	
Απαιτήσεις : <i>Requirements :</i>		EN 13308:2002 clause 6.3	

ΔΗΛΩΣΗ – DECLARATION

Επιβεβαιώνουμε ότι ο παραπάνω αναφερόμενος εξοπλισμός υποβλήθηκε σε δοκιμές τύπου σύμφωνα με το μέρος 6.3 του προτύπου EN13308:2002 . Οι δοκιμές έδωσαν ικανοποιητικά αποτελέσματα. Μόνο τα υλικά που αναφέρεται στην έκθεση ελέγχου 6051-R-10 υποβλήθηκαν στον έλεγχο.


We here with certify that the above mentioned components were type tested in accordance with clause 6.3 of EN 13308:2002. Only the materials detailed in the test report 009-R-09 have been subjected to tests.

Για το Τμήμα Αξιολόγησης



A. Σταμού

Για την EBETAM Α.Ε.



A. Κουρτέσης

Γραφείο Αθηνών : Μ. Μερκούρη 76, Αγ. Δημήτριος, 173 42 Αθήνα
Athens office : 76, M. Merkouri, Ag. Dimitrios, GR - 173 42 Athens
Tel : +30 210 9961408, Fax: +30 210 9969850
E-mail : athens.office@ebetam.gr

Κεντρικά: Α' Βιομηχανική Περιοχή, 385 00 Βόλος
Head office: A' Industrial Area, GR - 385 00 Volos
Tel.: +302421095340/1/2, Fax: +302421095364
E-mail: volos.office@ebetam.gr
web site: http://www.ebetam.gr

Γραφείο Θεσσαλονίκης : Βιομηχανική Περιοχή, 570 22 Σίνδος
Thessaloniki office : Industrial Area, GR - 570 22 Sindos
Tel : +30 2310797 887, Fax: +30 2310 723117
E-mail : thess.office@ebetam.gr



EBETAM (MIRTEC)



ΕΤΑΙΡΕΙΑ ΒΙΟΜΗΧΑΝΙΚΗΣ ΕΡΕΥΝΑΣ & ΤΕΧΝΟΛΟΓΙΚΗΣ ΑΝΑΠΤΥΞΗΣ ΜΕΤΑΛΛΩΝ Α.Ε. / METALLURGICAL INDUSTRIAL RESEARCH & TECHNOLOGICAL DEVELOPMENT CENTRE S.A.

CONFORMITY TO TYPE CERTIFICATE

Project Cod. No: **36973** Certificate No: **6052-C-10**

Date: **22-03-2010**

Name and Address of the manufacturing plant: **S. KALIMNOS S.A.
6th km Thessalonica - Katerini Rd
57009 Kalochori Greece**

Product Type: **SK4"HP
Pneumatic 4" High Profile Bottom Valve**

Content: **Class 3
UN 1202, 1203, 1223
UN 1268, 1863
(vapour pressure at 50⁰C not more than 110 kPa)**

Test Report No: **6052-R-10**

Drawing Nr: **ΣΚ4"ΥΠ / Rev.1**

Type Examination Certificate No.: **3333-C-06
EXT.02**


Requirements: **ADR 2009
EN 13308:2002**

Validity of the certificate: **March 2011**

DECLARATION


We here with certify that the above mentioned components were spot checked and found to be in conformity with approval type. Only the materials detailed in this report have been subjected to tests. The manufacturer is obliged to assign to the inspector the spot check of the components during their manufacturing (sampling) once a year.

For Evaluation Dep.


A. Stamou

For MIRTEC S.A.


A. Kourtesis





CONFORMITY TO TYPE CERTIFICATE

Project Cod. No: **36973** Certificate No : **6053-C-10**

Date : **22-03-2010**

Name and Address of the manufacturing plant : **S. KALIMNOS S.A.
6th km Thessalonica - Katerini Rd
57009 Kalochori Greece**

Product Type : **SK4"LP
Pneumatic 4" Low Profile Bottom Valve**

Content : **Class 3
UN 1202, 1203, 1223
UN 1268, 1863
(vapour pressure at 50⁰C not more than 110 kPa)**

Test Report No : **6053-R-10**

Drawing Nr : **ΣΚ4"ΧΠ / Rev.0**

Type Examination Certificate No.: **3334-C-06
EXT.02**

Requirements : **ADR 2009
EN 13308:2002**

Validity of the certificate : **March 2011**

DECLARATION

We here with certify that the above mentioned components were spot checked and found to be in conformity with approval type. Only the materials detailed in this report have been subjected to tests. The manufacturer is obliged to assign to the inspector the spot check of the components during their manufacturing (sampling) once a year.

For Evaluation Dep.

A. Stamou

For MIRTEC S.A.

A. Kourtesis



EBETAM (MIRTEC)



Ελλάδα
ΟΝΤΟΓΩΝΙΣΤΙΚΗ
ΠΟΛΙΤΙΣΜΟ ΠΟΛΙΤΙΣΜΟΥ
ΥΠΟΥΡΓΕΙΟ ΑΝΑΠΤΥΞΗΣ

ΕΤΑΙΡΕΙΑ ΒΙΟΜΗΧΑΝΙΚΗΣ ΕΡΕΥΝΑΣ & ΤΕΧΝΟΛΟΓΙΚΗΣ ΑΝΑΠΤΥΞΗΣ ΜΕΤΑΛΛΩΝ Α.Ε. / METALLURGICAL INDUSTRIAL RESEARCH & TECHNOLOGICAL DEVELOPMENT CENTRE S.A.

CONFORMITY TO TYPE CERTIFICATE

Project Cod. No: **36973** Certificate No: **6054-C-10**

Date: **22-03-2010**

Name and Address of the manufacturing plant: **S. KALIMNOS S.A.
6th km Thessalonica - Katerini Rd
57009 Kalochori Greece**

Product Type: **SK1977
Vapour Transfer Valve**

Content: **Class 3
UN 1202, 1203, 1223
UN 1268, 1863
(vapour pressure at 50°C not more than 110 kPa)**

Test Report No: **6054-R-10**

Drawing Nr: **SK1977 / Rev.1**

Type Examination Certificate No.: **3337-C-06
EXT.02**

Requirements: **ADR 2009
EN 13082:2001**

Validity of the certificate: **March 2011**

DECLARATION

We here with certify that the above mentioned components were spot checked and found to be in conformity with approval type. Only the materials detailed in this report have been subjected to tests. The manufacturer is obliged to assign to the inspector the spot check of the components during their manufacturing (sampling) once a year.

For Evaluation Dep.


A. Stamou



For MIRTEC S.A.


A. Kourtesis

Γραφείο Αθηνών : Μ. Μερκούρη 76, Αγ. Δημήτριος, 173 42 Αθήνα
Athens office : 76, M. Merkouri, Ag. Dimitrios, GR - 173 42 Athens
Tel : +30 210 9961408, Fax: +30 210 9969850
E-mail : athens.office@ebetam.gr

Κεντρικά: Α' Βιομηχανική Περιοχή, 385 00 Βόλος
Head office: A' Industrial Area, GR - 385 00 Volos
Tel.: +302421095340/1/2, Fax: +302421095364
E-mail: volos.office@ebetam.gr
web site: http://www.ebetam.gr

Γραφείο Θεσσαλονίκης : Βιομηχανική Περιοχή, 570 22 Σίνδος
Thessaloniki office : Industrial Area, GR - 570 22 Sindos
Tel : +30 2310797 887, Fax: +30 2310 723117
E-mail : thess.office@ebetam.gr



EBETAM (MIRTEC)



Ελλάδα
ανταγωνιστική
ποιότητα παντού
ΥΠΟΥΡΓΕΙΟ ΑΝΑΠΤΥΞΗΣ

ΕΤΑΙΡΕΙΑ ΒΙΟΜΗΧΑΝΙΚΗΣ ΕΡΕΥΝΑΣ & ΤΕΧΝΟΛΟΓΙΚΗΣ ΑΝΑΠΤΥΞΗΣ ΜΕΤΑΛΛΩΝ Α.Ε. / METALLURGICAL INDUSTRIAL RESEARCH & TECHNOLOGICAL DEVELOPMENT CENTRE S.A.

CONFORMITY TO TYPE CERTIFICATE

Project Cod. No: **36973** Certificate No: **6055-C-10**

Date: **22-03-2010**

Name and Address of the manufacturing plant: **S. KALIMNOS S.A.
6th km Thessalonica - Katerini Rd
57009 Kalochori Greece**

Product Type: **SK1977S
Vapour Transfer Valve**

Content: **Class 3
UN 1202, 1203, 1223
UN 1268, 1863
(vapour pressure at 50^oC not more than 110 kPa)**

Test Report No: **6055-R-10**

Drawing Nr: **SK1977S / Rev.1**

Type Examination Certificate No.: **3338-C-06
EXT.02**

Requirements: **ADR 2009
EN 13082:2001**

Validity of the certificate: **March 2011**

DECLARATION

We here with certify that the above mentioned components were spot checked and found to be in conformity with approval type. Only the materials detailed in this report have been subjected to tests. The manufacturer is obliged to assign to the inspector the spot check of the components during their manufacturing (sampling) once a year.

For Evaluation Dep.

A. Stamou



For MIRTEC S.A.

A. Kourtesis

Γραφείο Αθηνών : Μ. Μερκούρη 76, Αγ. Δημήτριος, 173 42 Αθήνα
Athens office : 76, M. Merkouri, Ag. Dimitrios, GR - 173 42 Athens
Tel : +30 210 9961408, Fax: +30 210 9969850
E-mail : athens.office@ebetam.gr

Κεντρικά: Α' Βιομηχανική Περιοχή, 385 00 Βόλος
Head office: A' Industrial Area, GR - 385 00 Volos
Tel.: +302421095340/1/2, Fax: +302421095364
E-mail: volos.office@ebetam.gr
web site: http://www.ebetam.gr

Γραφείο Θεσσαλονίκης : Βιομηχανική Περιοχή, 570 22 Σίνδος
Thessaloniki office : Industrial Area, GR - 570 22 Sindos
Tel : +30 2310797 887, Fax: +30 2310 723117
E-mail : thess.office@ebetam.gr



EBETAM (MIRTEC)



ΕΤΑΙΡΕΙΑ ΒΙΟΜΗΧΑΝΙΚΗΣ ΕΡΕΥΝΑΣ & ΤΕΧΝΟΛΟΓΙΚΗΣ ΑΝΑΠΤΥΞΗΣ ΜΕΤΑΛΛΩΝ Α.Ε. / METALLURGICAL INDUSTRIAL RESEARCH & TECHNOLOGICAL DEVELOPMENT CENTRE S.A.

CONFORMITY TO TYPE CERTIFICATE

Project Cod. No: **36973** Certificate No: **6056-C-10**

Date: **22-03-2010**

Name and Address of the manufacturing plant: **S. KALIMNOS S.A.
6th km Thessalonica - Katerini Rd
57009 Kalochori Greece**

Product Type: **SK1975NO
Normal Open Coaming Vent Valve**

Content: **Class 3
UN 1202, 1203, 1223
UN 1268, 1863
(vapour pressure at 50°C not more than 110 kPa)**

Test Report No: **6056-R-10**

Drawing Nr: **SK1975NO / Rev.1**

Type Examination Certificate No.: **3335-C-06
EXT.02**


Requirements: **ADR 2009
EN 13082:2001**

Validity of the certificate: **March 2011**


DECLARATION


We here with certify that the above mentioned components were spot checked and found to be in conformity with approval type. Only the materials detailed in this report have been subjected to tests. The manufacturer is obliged to assign to the inspector the spot check of the components during their manufacturing (sampling) once a year.

For Evaluation Dep.


A. Stamou

For MIRTEC S.A.




A. Kourtesis

Γραφείο Αθηνών : Μ. Μερκούρη 76, Αγ. Δημήτριος, 173 42 Αθήνα
Athens office : 76, M. Merkouri, Ag. Dimitrios, GR - 173 42 Athens
Tel : +30 210 9961408, Fax: +30 210 9969850
E-mail : athens.office@ebetam.gr

Κεντρικά: Α' Βιομηχανική Περιοχή, 385 00 Βόλος
Head office: A' Industrial Area, GR - 385 00 Volos
Tel.: +302421095340/1/2, Fax: +302421095364
E-mail: volos.office@ebetam.gr
web site: <http://www.ebetam.gr>

Γραφείο Θεσσαλονίκης : Βιομηχανική Περιοχή, 570 22 Σίνδος
Thessaloniki office : Industrial Area, GR - 570 22 Sindos
Tel : +30 2310797 887, Fax: +30 2310 723117
E-mail : thess.office@ebetam.gr



EBETAM (MIRTEC)



ΕΤΑΙΡΕΙΑ ΒΙΟΜΗΧΑΝΙΚΗΣ ΕΡΕΥΝΑΣ & ΤΕΧΝΟΛΟΓΙΚΗΣ ΑΝΑΠΤΥΞΗΣ ΜΕΤΑΛΛΩΝ Α.Ε. / METALLURGICAL INDUSTRIAL RESEARCH & TECHNOLOGICAL DEVELOPMENT CENTRE S.A.

CONFORMITY TO TYPE CERTIFICATE

Project Cod. No: **36973** Certificate No: **6057-C-10**

Date: **22-03-2010**

Name and Address of the manufacturing plant: **S. KALIMNOS S.A.
6th km Thessalonica - Katerini Rd
57009 Kalochori Greece**

Product Type: **SK1975NC
Normal Close Coaming Vent Valve**

Content: **Class 3
UN 1202, 1203, 1223
UN 1268, 1863
(vapour pressure at 50^oC not more than 110 kPa)**

Test Report No: **6057-R-10**

Drawing Nr: **SK1975NC / Rev.1**

Type Examination Certificate No.: **3336-C-06
EXT.02**

Requirements: **ADR 2009
EN 13082:2001**

Validity of the certificate: **March 2011**

DECLARATION

We here with certify that the above mentioned components were spot checked and found to be in conformity with approval type. Only the materials detailed in this report have been subjected to tests. The manufacturer is obliged to assign to the inspector the spot check of the components during their manufacturing (sampling) once a year.

For Evaluation Dep. 
A. Stamou

For MIRTEC S.A. 
A. Kourtesis



Γραφείο Αθηνών : Μ. Μερκούρη 76, Αγ. Δημήτριος, 173 42 Αθήνα
Athens office : 76, M. Merkouri, Ag. Dimitrios, GR - 173 42 Athens
Tel : +30 210 9961408, Fax: +30 210 9969850
E-mail : athens.office@ebetam.gr

Κεντρικό: Α' Βιομηχανική Περιοχή, 385 00 Βόλος
Head office: A' Industrial Area, GR - 385 00 Volos
Tel.: +302421095340/1/2, Fax: +302421095364
E-mail: volos.office@ebetam.gr
web site: <http://www.ebetam.gr>

Γραφείο Θεσσαλονίκης : Βιομηχανική Περιοχή, 570 22 Σίνδος
Thessaloniki office : Industrial Area, GR - 570 22 Sindos
Tel : +30 2310797 887, Fax: +30 2310 723117
E-mail : thess.office@ebetam.gr



EBETAM (MIRTEC)



ΕΤΑΙΡΕΙΑ ΒΙΟΜΗΧΑΝΙΚΗΣ ΕΡΕΥΝΑΣ & ΤΕΧΝΟΛΟΓΙΚΗΣ ΑΝΑΠΤΥΞΗΣ ΜΕΤΑΛΛΩΝ Α.Ε. / METALLURGICAL INDUSTRIAL RESEARCH & TECHNOLOGICAL DEVELOPMENT CENTRE S.A.

CONFORMITY TO TYPE CERTIFICATE

Project Cod. No: **36973** Certificate No: **6058-C-10**

Date: **22-03-2010**

Name and Address of the manufacturing plant: **S. KALIMNOS S.A.
6th km Thessalonica - Katerini Rd
57009 Kalochori Greece**

Product Type: **SK2100
Pressure & Vacuum Breather Vent**

Content: **Class 3
UN 1202, 1203, 1223
UN 1268, 1863
(vapour pressure at 50^oC not more than 110 kPa)**

Test Report No: **6058-R-10**

Drawing Nr: **SK2100 / Rev.1**

Type Examination Certificate No.: **3339-C-06
EXT.02**


Requirements: **ADR 2009
EN 14595:2005**

Validity of the certificate: **March 2011**

DECLARATION

We here with certify that the above mentioned components were spot checked and found to be in conformity with approval type. Only the materials detailed in this report have been subjected to tests. The manufacturer is obliged to assign to the inspector the spot check of the components during their manufacturing (sampling) once a year.

For Evaluation Dep.


A. Stamou



For MIRTEC S/A.


A. Kourtesis

Γραφείο Αθηνών : Μ. Μερκούρη 76, Αγ. Δημήτριος, 173 42 Αθήνα
Athens office : 76, M. Merkouri, Ag. Dimitrios, GR - 173 42 Athens
Tel : +30 210 9961408, Fax: +30 210 9969850
E-mail : athens.office@ebetam.gr

Κεντρικά: Α' Βιομηχανική Περιοχή, 385 00 Βόλος
Head office: A' Industrial Area, GR - 385 00 Volos
Tel.: +302421095340/1/2, Fax: +302421095364
E-mail: volos.office@ebetam.gr
web site: <http://www.ebetam.gr>

Γραφείο Θεσσαλονίκης : Βιομηχανική Περιοχή, 570 22 Σίνδος
Thessaloniki office : Industrial Area, GR - 570 22 Sindos
Tel : +30 2310797 887, Fax: +30 2310 723117
E-mail : thess.office@ebetam.gr